

YOUR VEHICLE DATA

Scrapped	✓	Exported	✓	Imported	✓	Plate Change	!	Colour Change	✓
Mileage	✓	Taxi	✓	Recall	✓	Keepers	7	Keeper	04-Oct-24 17-Jun-24 08-May-24 14-Mar-24 18-Dec-23 22-Aug-21 09-Nov-09

✓ Taxed Tax due: 01-Oct-26		✓ MOT Status Expires 18-Dec-26	
Vehicle Make	KIA	Year Of Manufacture	2009
Fuel Type	PETROL	Date Of First Registration	Nov-09
Cylinder Capacity	999	Date Of Last V5C (logbook) Issued	05-Oct-24
Vehicle Colour	WHITE	Export Marker	***
Euro Stats	***	Vehicle Type Approval	M1
Co2 Emissions	114 g/km	Revenue Weight	1696
Real Driving Emissions (RDE)	***	Vehicle Status	Taxed
Wheelplan	2 AXLE RIGID BODY	MOT Status	Valid
Ulez Compliance	Check TFL		

Mot & Mileage Summary

Total Test	22	✖ Pass Rate	54%
✔ Test Passed	12	! Pass Rate With Advisory	91%
! Passed With Advisory	11	✔ Pass Rate Without Advisory	9%
! Total Items Advised	30	✔ Mileage Issues	No
! Advisory Average/Per MOT	2.50	Last MOT Mileage	108732 MI
✖ Test Failed	10	Est Current Mileage	113485 MI
✖ Total Items Failed	33	Average Mileage	6795 Miles/Year
✔ Taxi/Rent a Car Use	Might not	icon Mileage Status	Average

MOT Test List




Date	Result	Mileage	Difference	Days	Reason
18-Dec-25	✔ PASS	108732 MI	430	12	Failures(0) Advisories(0)
06-Dec-25	✖ FAIL	108302 MI	10882	352	Failures(3) Advisories(0)
19-Dec-24	✔ PASS	97420 MI	412	13	Failures(0) Advisories(1)
06-Dec-24	✖ FAIL	97008 MI	6607	359	Failures(4) Advisories(1)
04-Oct-24	! KEEPER 7				
17-Jun-24	! KEEPER 6				
08-May-24	! KEEPER 5				

14-Mar-24	!	KEEPER 4				
18-Dec-23	!	KEEPER 3				
13-Dec-23	✓	PASS	90401 MI	1	772	Failures(0) Advisories(5)
01-Nov-21	✓	PASS	90400 MI	4443	364	Failures(0) Advisories(4)
22-Aug-21	!	KEEPER 2				
27-Jul-21	!	PLATE	 K11TRO →  MJ59ULL			
02-Nov-20	✓	PASS	85957 MI	10	4	Failures(0) Advisories(8)
29-Oct-20	✗	FAIL	85947 MI	5850	373	Failures(5) Advisories(12)
22-Oct-19	✓	PASS	80097 MI	4	1	Failures(0) Advisories(4)
21-Oct-19	✗	FAIL	80093 MI	8580	363	Failures(7) Advisories(4)
23-Oct-18	✓	PASS	71513 MI	0	0	Failures(0) Advisories(1)
23-Oct-18	✗	FAIL	71513 MI	3906	357	Failures(0) Advisories(1)
31-Oct-17	✓	PASS	67607 MI	0	0	Failures(0) Advisories(1)
31-Oct-17	✗	FAIL	67607 MI	6246	375	Failures(0) Advisories(1)
21-Oct-16	✓	PASS	61361 MI	8	1	Failures(0) Advisories(2)
20-Oct-16	✗	FAIL	61353 MI	5510	363	Failures(3) Advisories(2)

23-Oct-15	<div><div>✓</div><div>PASS</div></div>	55843 MI	0	0	Failures(0) Advisories(1)
23-Oct-15	<div><div>✗</div><div>FAIL</div></div>	55843 MI	3946	360	Failures(2) Advisories(1)
28-Oct-14	<div><div>✓</div><div>PASS</div></div>	51897 MI	0	1	Failures(0) Advisories(2)
27-Oct-14	<div><div>✗</div><div>FAIL</div></div>	51897 MI	9508	364	Failures(5) Advisories(1)
28-Oct-13	<div><div>✓</div><div>PASS</div></div>	42389 MI	0	0	Failures(0) Advisories(1)
28-Oct-13	<div><div>✗</div><div>FAIL</div></div>	42389 MI	0	0	Failures(1) Advisories(1)
13-Oct-10	<div><div>!</div><div>PLATE</div></div>	<div><div><div>GB</div></div> MJ59ULL</div> → <div><div><div>GB</div></div> K11TRO</div>			
09-Nov-09	<div><div>!</div><div>KEEPER 1</div></div>				

Mileage History

S No.	Date	Mileage	Difference	Days
22	18-Dec-25	108732 MI	430 MI	12
21	06-Dec-25	108302 MI	10882 MI	352
20	19-Dec-24	97420 MI	412 MI	13
19	06-Dec-24	97008 MI	6607 MI	359
Keeper	04-Oct-24			
Keeper	17-Jun-24			
Keeper	08-May-24			
Keeper	14-Mar-24			
Keeper	18-Dec-23			

18	13-Dec-23	90401 MI	1 MI	772
17	01-Nov-21	90400 MI	4443 MI	364
Keeper	22-Aug-21			
Plate 2	27-Jul-21	 K11TRO	→  MJ59ULL	
16	02-Nov-20	85957 MI	10 MI	4
15	29-Oct-20	85947 MI	5850 MI	373
14	22-Oct-19	80097 MI	4 MI	1
13	21-Oct-19	80093 MI	8580 MI	363
12	23-Oct-18	71513 MI	0	0
11	23-Oct-18	71513 MI	3906 MI	357
10	31-Oct-17	67607 MI	0	0
9	31-Oct-17	67607 MI	6246 MI	375
8	21-Oct-16	61361 MI	8 MI	1
7	20-Oct-16	61353 MI	5510 MI	363
6	23-Oct-15	55843 MI	0	0
5	23-Oct-15	55843 MI	3946 MI	360
4	28-Oct-14	51897 MI	0	1
3	27-Oct-14	51897 MI	9508 MI	364
2	28-Oct-13	42389 MI	0	0
1	28-Oct-13	42389 MI		0
Plate 1	13-Oct-10	 MJ59ULL	→  K11TRO	
Keeper	09-Nov-09			



Km / Mileage



Mileage Reverse



Taxi MOT gaps

Vehicle Information

Vehicle Registration Mark	MJ59ULL	Make & Model	KIA PICANTO 1
Make	KIA	Model	PICANTO 1
Engine Capacity	999	Year of Manufacture	2009
Fuel Type	PETROL	Date First Registered	09-Nov-09
Door Plan	5 DOOR HATCHBACK	Date of 1st Registration in UK	09-Nov-09
Colour	WHITE	Year-Month 1st Registered	2009-11
CO2 Emissions	114 g/km	Transmission	MANUAL 5 GEARS
Gear Count	5	Transmission Type	Manual
Engine Number	G4HE9642583	Transmission Code	M
Gross Weight	1696	Door Plan Code	14
Maximum Permissible Mass	1350	MVRIS Model Code	***
Seating Capacity	5	MVRIS Make Code	***
Wheel Plan	2 AXLE RIGID BODY	Used Before First Registration	No
Vehicle Class	Car	Vin Confirmation Flag	***
Date Of Last Update	01-Feb-25 05:54:18		

General Information

Make	Kia	Euro Status	4
Aspiration	Naturally Aspirated	Fuel System	
Number Of Cylinders	4	Fuel Delivery	
Valves Per Cylinder	3	Fuel Catalyst	C
Cylinder Arrangement	I	Stroke	73
Valve Gear	SOHC	Location	FRONT
Description	1.0 61 E4-A	Bore	66
Power Delivery	Normal	Type Approval Category	M1
Driving Axle	FWD	Primary Fuel Flag	Y
Series Description	SA	Driver Position	R
Data Version Number	***	Is Limited Edition	No
EV Battery Capacity	***	EV Battery Charge Port	***
EV Battery Charge Time	***	EV Battery Type	***

Previous Keepers

Total Keepers	7	Keeper Data Count	6
Keeper 7 (Current Keeper)			04-Oct-24
Keeper 6			17-Jun-24
Keeper 5			08-May-24
Keeper 4			14-Mar-24
Keeper 3			18-Dec-23
Keeper 2			22-Aug-21
Keeper 1 (First Keeper)			09-Nov-09

V5C Certificate issue details

V5C Certificate Count	7	Certificate Dates	05-Oct-24 17-Jun-24 08-May-24 14-Mar-24 18-Dec-23 29-Aug-21 20-Oct-10
-----------------------	---	-------------------	-----------------------------------------------------------------------------------------

Vehicle Tax & CO2 Emissions

Standard Six Month	***	Per Month	0
Standard Twelve Month	35	Per Month	2.92
First Year Six Month	***	Per Month	0
First Year Twelve Month	0	Per Month	0
Premium Vehicle Year 2 to 6 - Six Month	***	Per Month	0
Premium Vehicle Year 2 to 6 - Twelve Month	***	Per Month	0
VED CO2 Emissions	114 g/km	VED Band	C
VED CO2 Band	C		

Performance Information

Torque FtLb	64	Power Rpm	5600
Torque Rpm	2900	Power Bhp	61
Torque Nm	86	Power Kw	46
CO2	114	NoiseLevel	***
Max Speed Mph	93	Particles	***
Max Speed Kph	150	Data Version Number	***
Acceleration Zero To 60Mph	16.4	Acceleration Mph	16.4
Acceleration Zero To 100Kph	***	Acceleration Kph	***

Consumption

Combined Mpg	58.9	Combined Lkm	4.8
ExtraUrban Mpg	65.7	ExtraUrban Lkm	4.3
UrbanCold Mpg	49.6	UrbanCold Lkm	5.7

! Plate Change History

Plate Change Count	2		
1	27-Jul-21	 K11TRO	→  MJ59ULL
2	13-Oct-10	 MJ59ULL	→  K11TRO

✓ Import/Export

Exported	No	Export Date	***
Imported	No		

✓ Scrap Destructions

Scrapped	No	Date of Scrapped	***
Certificate of Destruction Issued	No	Vehicle ID Check Count	0

✓ Colour Changes

Current Colour	WHITE	Number Of Previous Colours	0
Last Colour	***	Date Of Last Colour Change	***
Original Colour	WHITE		

✓ Previous VRM

Previous Northern Ireland	***	Previous UK VRM	K11TRO
---------------------------	-----	-----------------	--------

Dimensions

Gross Vehicle Weight	1350	Height	1480
Gross Combined Weight	1350	Width	1595
Kerb Weight	848	Car Length	3535
Unladen Weight	848	Wheel Base	2385
Fuel Tank Capacity	35	Pay Load Weight	***
Number Of Doors	5	Gross Train Weight	***
Number Of Seats	5	Payload Volume	***
Rigid Artic	RIGID	Load Length	***
Number Of Axles	2	Data Version Number	***
Body Shape	NA		

Safety

Adult	***	Child	***
Pedestrian	***		

Classification Details

SMMT Make	Kia	DVLA Make	KIA
SMMT Range	Picanto	DVLA Model	PICANTO 1
SMMT Trim	Picanto 1	Is Electric Vehicle	NO
SMMT Mvris MakeCode	***	Is GB General Format	***
SMMT Mvris ModelCode	***	Is NI General Format	***

Smmt Details

Marque	Kia	Range	Picanto
Model Variant	Picanto 1	Fuel Type	Petrol
Nominal Engine Capacity	1	Transmission	Manual
Engine Capacity	999	Number Of Doors	5
Body Style	Hatchback	Number Of Gears	5
DriveType	4x2	SysSetup Date	26-Aug-09
Country Of Origin	South Korea	Visibility Date	26-Aug-09
Series	SA	Terminate Date	15-Sep-11
Marque Code	***	Cab Type	NA
Market Sector Code	AA	Data Version Number	***
Model Code	***		

MOT Test List

Date	Result	Mileage	Test Number
------	--------	---------	-------------

18-Dec-25	 PASS	108732 MI	423903689617
-----------	-----------------------------------------------------------------------------------------------	-----------	--------------

06-Dec-25	 FAIL	108302 MI	272844066269
-----------	-----------------------------------------------------------------------------------------------	-----------	--------------

Failures

- MAJOR** Nearside Front Lower Suspension arm pin or bush excessively worn (5.3.4 (a) (i))
- MAJOR** Front Exhaust has a major leak of exhaust gases pipe (6.1.2 (a))
- MAJOR** Exhaust emissions exceed manufacturer's specified limit (8.2.2.2 (a))

19-Dec-24	 PASS	97420 MI	178109261559
-----------	-----------------------------------------------------------------------------------------------	----------	--------------

Advisories

- ADVISORY** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

06-Dec-24	 FAIL	97008 MI	735887776754
-----------	-------------------------------------------------------------------------------------------------	----------	--------------

Advisories

- ADVISORY** Front Sub-frame corroded but not seriously weakened (5.3.3 (b) (i))

Failures

- DANGEROUS** Nearside Front Tyre has a bulge, caused by separation or partial failure of its structure (5.2.3 (d) (ii))
- MAJOR** Nearside Front Brake pipe excessively corroded (1.1.11 (c))
- MAJOR** Nearside Front Lower Suspension arm ball joint excessively worn (5.3.4 (a) (i))
- MAJOR** Nearside Rear Shock absorbers damaged to the extent that it does not function both rear (5.3.2 (b))

13-Dec-23	 PASS	90401 MI	585435009863
-----------	-------------------------------------------------------------------------------------------------	----------	--------------

Advisories

- ADVISORY** Engine covers/Under trays fitted
- ADVISORY** Under-chassis, Suspension, Exhaust & Brake components corroded.
- ADVISORY** Vehicle is Heavily Under-sealed.
- ADVISORY** Covers Fitted On Sills (Inner & Outer) & Heavy Underseal
- ADVISORY** Subframe mounting repair covered in underseal (5.3.6 (a) (i))

01-Nov-21	 PASS	90400 MI	613880437268
-----------	-------------------------------------------------------------------------------------------------	----------	--------------

Advisories

- ADVISORY** Nearside Rear Shock absorbers has light misting of oil (5.3.2 (b))
- ADVISORY** Offside Rear Shock absorbers has light misting of oil (5.3.2 (b))
- ADVISORY** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))

02-Nov-20



PASS

85957 MI

577914311976

Advisories

- ADVISORY** Offside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- ADVISORY** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ADVISORY** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ADVISORY** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

29-Oct-20



FAIL

85947 MI

373818803047

Advisories

- ADVISORY** Front Exhaust mounting defective (6.1.2 (a))
- ADVISORY** Front Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- ADVISORY** Rear Exhaust has a minor leak of exhaust gases (6.1.2 (a))
- ADVISORY** exhaust corroded
- ADVISORY** Offside Rear Shock absorbers light misting of oil or has limited damping effect (5.3.2 (b))
- ADVISORY** Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ADVISORY** Offside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ADVISORY** Nearside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Offside Rear Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Nearside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Offside Front Suspension arm pin or bush worn but not resulting in excessive movement (5.3.4 (a) (i))
- ADVISORY** Front Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii))

Failures

- DANGEROUS** Offside Rear Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- MAJOR** Offside Rear Brake pipe excessively corroded (1.1.11 (c))
- MAJOR** Exhaust system insecure flex joint excessively deteriorated (6.1.2 (a))
- MAJOR** Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i))
- MAJOR** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))

22-Oct-19



PASS

80097 MI

299733967171

Advisories

- ADVISORY** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ADVISORY** Brake pedal wearing smooth (1.1.2 (c))
- ADVISORY** Nearside Side repeater slightly discoloured (4.4.3 (a))
- ADVISORY** Offside Side repeater slightly discoloured (4.4.3 (a))

21-Oct-19



FAIL

80093 MI

854747726862

Advisories

- ADVISORY** Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ADVISORY** Brake pedal wearing smooth (1.1.2 (c))
- ADVISORY** Nearside Side repeater slightly discoloured (4.4.3 (a))
- ADVISORY** Offside Side repeater slightly discoloured (4.4.3 (a))

Failures

- DANGEROUS** Nearside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- DANGEROUS** Offside Front Tyre tread depth below requirements of 1.6mm (5.2.3 (e))
- MAJOR** Nearside Rear Coil spring fractured or broken (5.3.1 (b) (i))
- MAJOR** Offside Headlamp aim too high (4.1.2 (a))
- MAJOR** Nearside Headlamp aim too high (4.1.2 (a))
- MAJOR** Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c))
- MAJOR** Exhaust emissions likely to be affected by an exhaust leak (8.2.1.1 (b))

23-Oct-18



PASS

71513 MI

758635252126

Advisories

- ADVISORY** slight leak from exhaust front pipe

23-Oct-18



FAIL

71513 MI

567541013956

Advisories

- ADVISORY** slight leak from exhaust front pipe

Failures

- PRS** Nearside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))
- PRS** Offside Windscreen wiper does not clear the windscreen effectively (3.4 (b) (ii))

31-Oct-17



PASS

67607 MI

792005951695

Advisories

- ADVISORY** Offside Rear coil spring corroded (2.4.C.1b)

31-Oct-17



FAIL

67607 MI

446359708507

Advisories

ADVISORY Offside Rear coil spring corroded (2.4.C.1b)

Failures

PRS Offside Front position lamp(s) not working (1.1.A.3b)

21-Oct-16



PASS

61361 MI

719260288993

Advisories

ADVISORY Front Brake pad(s) wearing thin (3.5.1g)

ADVISORY Nearside Front Tyre worn close to the legal limit 2.1mm and low on inner edge (4.1.E.1)

20-Oct-16



FAIL

61353 MI

173834634384

Advisories

ADVISORY Front Brake pad(s) wearing thin (3.5.1g)

ADVISORY Nearside Front Tyre worn close to the legal limit 2.1mm and low on inner edge (4.1.E.1)

Failures

Failed Nearside Rear coil spring broken (2.4.C.1a)

Failed Offside Front Tyre has ply or cords exposed (4.1.D.1b)

Failed Centre Stop lamp not working (1.2.1b)

23-Oct-15



PASS

55843 MI

813275310851

Advisories

ADVISORY Offside Front Tyre worn close to the legal limit (4.1.E.1)

23-Oct-15



FAIL

55843 MI

764135774990

Advisories

ADVISORY Offside Front Tyre worn close to the legal limit (4.1.E.1)

Failures

Failed Nearside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Failed Offside Headlamp aim too high (1.8)

28-Oct-14



PASS

51897 MI

698951504335

Advisories

ADVISORY Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

ADVISORY Nearside Front Tyre worn close to the legal limit (4.1.E.1)

27-Oct-14



FAIL

51897 MI

556970604310

Advisories

ADVISORY Front brake disc worn, pitted or scored, but not seriously weakened (3.5.1i)

Failures

Failed Nearside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Failed Offside Rear Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Failed Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Failed Nearside Rear Mechanical brake component has restricted free movement (3.5.1k)

Failed Nearside Front Suspension arm ball joint dust cover excessively damaged so that it no longer prevents the ingress of dirt (2.4.G.2)

28-Oct-13



PASS

42389 MI

978301203360

Advisories

ADVISORY Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

28-Oct-13



FAIL

42389 MI

216111403306

Advisories

ADVISORY Nearside Rear Tyre worn close to the legal limit (4.1.E.1)

Failures

Failed Offside Front Tyre tread depth below requirements of 1.6mm (4.1.E.1)

Disclaimer

CarBaBa provides free vehicle data but does not guarantee its precision. Although we strive to maintain up-to-date and accurate information, we are not responsible for any discrepancies, errors, or omissions. Users should independently verify details before making transactions and assume complete responsibility and liability for how they utilize the data.

Our platform is intended for general public use and not for commercial purposes. Traders should seek paid data services from providers like Experian or HPI.

We reserve the right to modify or discontinue vehicle data at any time. Users cannot demand continued access to this free service.

Additionally, our data cannot be used as legal evidence in any court or official capacity.

For any inaccuracies or suggestions, please contact us via our website. While we appreciate feedback, response times may vary due to high email volumes.

Our calculation of average mileage per year may be inaccurate if the MOT records include a combination of miles and kilometres.

If a vehicle has three consecutive 6-month MOTs, we classify it as being used for taxi or commercial purposes. However, in rare cases, this classification may be incorrect.